	Application No.	Applicant(s)
Notice of Allowability	10/719,970	WU ET AL.
	Examiner	Art Unit
	Tho v. Duong	3744
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 10/31/06.		
2. X The allowed claim(s) is/are 1-3,5-15,17-21 and 24-35.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Notice of Informal D	latant Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal P 6. ☐ Interview Summary 	
	Paper No./Mail Dat	te
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amendr	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		ent of Reasons for Allowance
	9.	Tho v Duong Primary Examiner Art Unit: 3744
		!

Application/Control Number: 10/719,970 Page 2

Art Unit: 3744

DETAILED ACTION

Allowable Subject Matter

Claims 1-3,5-15,17,18 and 27-35 are allowed. Since claim 1 is allowed and generic, the previous restriction requirement has been withdrawn. Therefore, claims 19-21 and 24-26 are now rejoined.

Claims 1-3,5-15,17-21 and 24-35 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art of record either taken singularly or in combination fails to disclose an outer tube concentric with an inner tube, which has an axial flow passageway; circumferential fluid flow passage formed along the outer surface of the outer tube; a corrugated strip fins are arranged in the circumferential fluid flow in a low pressure drop orientation with rows of corrugation in the corrugated strip fins extending axially through the circumferential flow passageways and with apertures through the corrugations extending circumferentially (claims 1 and 27) and the heat exchanger includes at least one radially inner circumferential flow passageway and one radially outer circumferential flow passage; the flow communication between the inner and outer flow passageways is provided by a layer of perforated sheet material (claims 30 and 33).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Art Unit: 3744

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tho v. Duong whose telephone number is 571-272-4793. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tyler J. Cheryl can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tho v Duong

Primary Examiner

Art Unit 3744

19

TD November 8, 2006